

Scott Smith (Chief Technology Officer, Water and Defense)
Statement 4/10

It is irresponsible and incomprehensible for anyone to declare water in Flint is safe to bathe or shower in when showering was not tested for the full spectrum of chemical limited chemicals that volatilize and/or aerosolize in air and inhalation risk into the lungs. These chemicals include but are not limited to chloroform and particulate lead.

For example, Water Defense tested a home where the Age sinks of cold water for just copper and lead and then the residents declaring the "water safe to drink" is a common sense to understand that people don't bathe or shower in is already a preponderance of evidence with people continuing compromised health that appears to be a result of shower water.

Furthermore, it is disingenuous for anyone to compare drinking water to inhalation of volatilized and/or aerosolized in hot showers when there are neither bathing/showering standard testing of shower/bath water including but not limited to in bathrooms for particulate lead and other volatilized chemicals chloroform.

The people of Flint have suffered enough for too long and scientific truth without the best way to continue to build the great community. It is time for all people involved in this that we don't yet know whether it is safe to bathe that we are all committed to working together to get testing including bottled water air testing in bathrooms and water as Water Defense from has the on site of the water the home to the water heater to all tanks, bathtubs, and

It is also time to listen to the people's issues and stop dismissing them which only serves to diminish trust and suffering. Early, there appears to be enough scientific evidence distinct possibility that the health issues in Flint stem from water.

Scott Smith (Chief Technology Officer, Water Investigation)
Statement 4/10

For example, Water Defense toxicologists have reviewed the and have found that excessive phosphates can lead to low residents of Flint are reporting, aerosolized particulate lead with volatilized chemicals like chloroform can cause the rash and other symptoms exhibited by some volatile chemicals. Chloroform can also be dermally absorbed through bathtubs/showers potentially producing the symptoms being exhibited Flint residents.

Water Defense looks forward to continued EPA collaboration with State of Michigan. Water Defense will not increase its work for the community until we understand completely what is in the water in Flint, Michigan.

Furthermore, Water Defense will continue to make certain the scientific data and truth leads the dialogue while bringing solutions for the community of Flint.